

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S83	31	(US-20050005261-\$ or US-20030065533-\$ or US-20030221184-\$ or US-20050044197-\$ or US-20020184401-\$ or US-20040025110-\$ or US-20040015834-\$ or US-20030196168-\$ or US-20020165872-\$ or US-20030098880-\$ or US-20030014439-\$ or US-20020161688-\$ or US-20020108101-\$ or US-20030149934-\$ or US-20040015829-\$ or US-20040177093-\$ or US-20020059566-\$). did. or (US-7099727-\$ or US-7076766-\$ or US-7043732-\$ or US-7028306-\$ or US-6964053-\$ or US-6560633-\$ or US-6889360-\$ or US-6874146-\$ or US-6415275-\$ or US-7188332-\$ or US-7114149-\$ or US-7058886-\$ or US-7103600-\$ or US-7043481-\$).did.	US-PGPUB; USPAT	OR	OFF	2009/05/28 11:47
S84	13	S83 and UML and (XMI XML) and ((J2EE Java) near8 (API object class))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 11:48
S85	2	S84 and ((audit\$4 (constraint wiht (enforc\$4 check\$4)) validat\$4) same API)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 12:30
S86	0	UML same (metadata near3 API) same ((UI widget form) with (attribute control object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 13:40
S87	0	(model MOF) same (metadata near3 API) same ((UI widget form) with (attribute control object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 13:41
S88	0	((model MOF) same (metadata near3 API)) and ((API with (enforc\$4 check\$4 validat\$4 verif\$4)) same ((UI widget form) with (attribute control object)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 13:42

EAST Search History

S89	24	(metadata XML) and ((API with (enforc\$4 check\$4 validat\$4 verif\$4)) same ((UI widget form) with (attribute control object)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 13:43
S90	21	(metadata XML) and ((model MOF) same (metadata near3 API)) and (java with object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 13:43
S91	3	S89 and @rlad<"20030930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 13:44
S92	0	S90 and @rlad<"20030930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 13:44
S93	47	UML same API same (class method and "isRoot" "UIContext" contextNode getContext)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 13:49
S94	3	UML same API same ((class object) and (method implement\$2) and ("isRoot" "UIContext" contextNode getContext isValid))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 13:51
S95	4	metadata same ((class object) and (method implement\$2) and ("isRoot" "UIContext" contextNode getContext isValid))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 13:52
S96	2	"6,920,461".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 14:10

EAST Search History

S97	9	Microsoft.as. and (metadata near8 API).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 14:16
S98	11	Microsoft.as. and (metadata near8 API). clm. not S97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 14:16
S99	0	(UML same (java EJB)) and (metadata same API).ab. not S97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 14:19
S10 0	17	(UML same (java EJB)) and (metadata with API) not S97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 14:20
S10 1	0	((UML near4 metadata) same ((Java EJB J2EE ".NET") with (class interfaces))) and ((model and declarative) same ((build\$3 creat\$3 generat\$4z) near8 API))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 15:11
S10 2	0	((UML near4 metadata) same ((Java EJB J2EE ".NET") with (class interfaces))) and ((model\$4 and declarative) and ((build\$3 creat\$3 generat\$4z) near8 API))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 15:11
S10 3	0	((UML near4 metadata) and ((Java EJB J2EE ".NET") with (class interfaces))) and ((model\$4 and declarative) and ((build\$3 creat\$3 generat\$4z) near8 API))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 15:11
S10 4	36	((UML and metadata) and ((Java EJB J2EE ".NET") with (class interfaces))) and ((model\$4 and declarative) and ((build\$3 creat\$3 generat\$4z) near8 API))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 15:11

EAST Search History

S10 5	0	Unisys.as. and UML and ((deriv\$4 with API) same (validat\$4 model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 15:22
S10 6	0	Unisys.as. and UML and ((deriv\$4 with API) and (validat\$4 with model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 15:22
S10 7	0	Unisys.as. and UML and ((creat\$4 with API) and (validat\$4 with model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 15:22
S10 8	1	Unisys.as. and UML and ((generat\$4 with API) and (validat\$4 with model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 15:23
S10 9	8	("5889992" "5848273" "6038393" "6018627").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 16:15
S11 0	0	S109 and ((build\$4 creat\$4 deriv\$4 generat\$4 with API) and (validat\$4 same model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 16:17
S11 1	1	S109 and ((build\$4 creat\$4 deriv\$4 generat\$4) with API)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 16:17
S11 2	15	(UML same (SAX XMI) same (XML near3 schema))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 16:56

EAST Search History

S11 3	7	(UML same (SAX XMI) same (DOM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/28 17:08
S11 4	38	(US-20050005261-\$ or US-20030065533-\$ or US-20030221184-\$ or US-20050044197-\$ or US-20020184401-\$ or US-20040025110-\$ or US-20040015834-\$ or US-20030196168-\$ or US-20020165872-\$ or US-20030098880-\$ or US-20030014439-\$ or US-20020161688-\$ or US-20020108101-\$ or US-20030149934-\$ or US-20040015829-\$ or US-20040177093-\$ or US-20020059566-\$ or US-20040210913-\$ or US-20030233365-\$).did. or (US-7099727-\$ or US-7076766-\$ or US-7043732-\$ or US-7028306-\$ or US-6964053-\$ or US-6560633-\$ or US-6889360-\$ or US-6874146-\$ or US-6415275-\$ or US-7188332-\$ or US-7114149-\$ or US-7058886-\$ or US-7103600-\$ or US-7043481-\$ or US-7426521-\$ or US-6920461-\$ or US-6327698-\$ or US-5848273-\$ or US-7000219-\$).did.	US-PGPUB; USPAT	OR	OFF	2009/05/29 09:40
S11 5	18	S114 and ((DOM XMI (extensible adj3 interchange)) same (object beans J2EE infobean Java))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 09:41
S11 6	6	S115 and ((DOM XMI (extensible adj3 interchange)) same (beans infobean (Java adj4 (object interface API))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 09:42
S11 7	5	S116 and (UML (Rationale near Rose))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 09:44
S11 8	0	S114 and (UML same (XMI XML)) and ((((application near interface) API) near8 (J2Ee bean Java)) same (constraint validat\$4 isValid))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 10:09

EAST Search History

S11 9	0	S114 and (UML same (XMI XML)) and ((((application near interface) API) near8 (J2Ee bean Java)) same (constraint validat\$4 isValid enforc\$4 verif\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 10:10
S12 0	0	S114 and (UML same (XMI XML)) and ((((application near interface) API) near8 (J2Ee bean Java method class)) same (constraint validat\$4 isValid enforc\$4 verif\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 10:10
S12 1	1	S114 and (UML same (XMI XML)) and ((((application near interface) API method) near8 (J2Ee bean Java method class)) same (constraint validat\$4 isValid enforc\$4 verif\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 10:11
S12 2	1	S114 and (UML same (XMI (XML and DOM))) and (Severin Kadel).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 10:48
S12 3	3	S114 and (UML same (XMI (XML and DOM))) and (Worden Hu).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 10:49
S12 4	2	S123 and constraint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 10:51
S12 5	6	(worden Hu Harter Kadel Severin).in. and UML and (validat\$4 constraint) and ((application adj interface) API)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 11:04
S12 6	1	Severin.in. and (UML and XML XMI)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 11:16

EAST Search History

S12 7	38	(US-20050005261-\$ or US-20030065533-\$ or US-20030221184-\$ or US-20050044197-\$ or US-20020184401-\$ or US-20040025110-\$ or US-20040015834-\$ or US-20030196168-\$ or US-20020165872-\$ or US-20030098880-\$ or US-20030014439-\$ or US-20020161688-\$ or US-20020108101-\$ or US-20030149934-\$ or US-20040015829-\$ or US-20040177093-\$ or US-20020059566-\$ or US-20040210913-\$ or US-20030233365-\$).did. or (US-7099727-\$ or US-7076766-\$ or US-7043732-\$ or US-7028306-\$ or US-6964053-\$ or US-6560633-\$ or US-6889360-\$ or US-6874146-\$ or US-6415275-\$ or US-7188332-\$ or US-7114149-\$ or US-7058886-\$ or US-7103600-\$ or US-7043481-\$ or US-7426521-\$ or US-6920461-\$ or US-6327698-\$ or US-5848273-\$ or US-7000219-\$).did.	US-PGPUB; USPAT	OR	OFF	2009/05/29 15:29
S12 8	1	S127 and (XML same DOM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 16:10
S12 9	0	(XML same DOM) and (schema near8 DTD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 16:27
S13 0	1	(XML same DOM) and (schema same DTD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 16:27
S13 1	0	(UML same (XML API)) and (UI near8 (method class)) with (cut paste)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 17:04
S13 2	0	(UML same (XML API)) and (GUI near8 (method class)) with (cut paste)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 17:04

EAST Search History

S13 3	0	(UML same (XML API)) and (API with (method class)) with (cut paste)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 17:04
S13 4	0	(UML same (XML API)) and ((method and class)) with (cut paste)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 17:05
S13 5	0	(UML same (XML API)) and ((method and class)) with (cut paste edit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 17:05
S13 6	1	(UML same (XML API Java)) and ((method and class)) with (cut paste edit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 17:05
S13 7	77	(UML same (tree diagram sequence)) and ((method and class)) with (cut paste edit delete add)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 17:06
S13 8	50	S137 and ((Java bean) with (interface API object method))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 17:07
S13 9	27	S138 and @rlad<"20030930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 17:08
S14 0	2	S139 and method near8 (cut paste delete)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/29 17:08